



KEY NOTES:

- 1 RIGID STEEL FRAME - REFER TO SHOP DRAWINGS.
- 2 STEEL ENDWALL COLUMN - REFER TO SHOP DRAWINGS.
- 3 HANDICAP ACCESSIBLE LAVATORY.
- 4 HANDICAP GRAB BAR.
- 5 HANDICAP ACCESSIBLE TOILET.
- 6 SERVICE SINK
- 7 NOT USED
- 8 BOTTLED WATER DISPENSER BY OWNER.
- 9 10'-0" STEEL MONOVENT W/SCREEN.
- 10 3'x10' TRANSLUCENT SKYLIGHT.
- 11 4" FRAME OUT AT METAL BUILDING STRUCTURE AS REQUIRED.
- 12 INSTALL 40 GAL. WATER HEATER ON MECHANICAL DECK. DRAIN TO EXTERIOR

DOORS:

- (A) 3070 GLASS STORE FRONT DOOR, ESP WHITE METAL FRAME, IMPACT RESISTANT, TINTED GLASS, W/AUTO CLOSER.
- (B) 12'x14' O.H. STEEL COILING DOOR W/METAL TRACK.
- (C) 3068 S.C. WOOD DOOR IN WOOD JAMB, WITH WEATHER STRIPPING.
- (D) 3070 STEEL PERSONEL DOOR IN METAL JAMB.

WINDOWS:

- (A) HARCAR OR EQUAL SL-34 ORIEL SERIES 3000 ALUMINUM WINDOW W/MUTTONS W/TINTED IMPACT RESISTANT GLASS IN ESP WHITE FRAME.

PRODUCT SCHEDULE										130 MPH (3-SECOND GUST) = 110 FASTEST MILE ENCLOSED STRUCTURE		
MARK	CALL SIZE	SIZE (WxH)	DETAIL	FINISH	MANUFACTURER	WINDOW / DOOR PRODUCT APPROVAL DESIGNATION / ENTITY	INSTALLATION NOTES (LIST BELOW)	WIND-BORNE DEBRIS REGION	TYPE OF WINDBORNE DEBRIS PROTECTION (WHERE APPLICABLE)	IMPACT COVERING PRODUCT APPROVAL DESIGNATION / ENTITY (WHERE APPLICABLE)	FIRE EXTINGUISHER LEGEND	
DOOR SCHEDULE												
D1	3070	3'-0" X 7'-0"	SEE 2/5-1	4	34 / -34	STORE FRONT	2	Y	GLAZING	N/A	5 LB. TYPE ABC DRY POWDER FIRE EXTINGUISHER	
D2	120140	12'-0" X 14'-0"	SEE 3/5-1	4	34 / -36	OVERHEAD DOOR CO.	3	Y	N/A	N/A	The extinguishers with current state-license tags affixed shall be provided in accordance with NFPA 10. The Contractor shall coordinate no. of, and final location with the Fire Marshal.	
D3	3070	3'-0" X 7'-0"	SEE 2/5-1	4	34 / -34	VULCAN HOLLOW METAL		Y	N/A	N/A		
WINDOW SCHEDULE												
A	34 SL	54" X 31"	SEE 1/5-1	4	34 / -34	HARCAR SERIES 3000	1	Y	GLAZING	N/A		
ROOF COVERING MATERIAL												
TYPE		MANUFACTURER		APPROVED MODEL, STYLE OR DESIGNATION								
METAL ROOFING		VULCAN BUILDINGS		METAL BUILDING SPEC								
CODE COMPLIANCE:												
<ul style="list-style-type: none"> • ASPHALT SHINGLES SHALL BE IN COMPLIANCE W/ FCC 2001, SEC. 1507.3 • CLAY AND CONCRETE TILES SHALL BE IN COMPLIANCE W/ FCC 2001, SEC. 1507.4 • METAL ROOFING SHALL BE IN COMPLIANCE W/ FCC 2001, SEC. 1507.5 												
IMPACT RESISTANT COVERING MATERIAL												
TYPE		MANUFACTURER		APPROVED MODEL, STYLE OR DESIGNATION								
GLAZING												
INSTALLATION NOTES:			LEGEND:			SIZE DESIGNATIONS						
1. MEANS OF EGRESS			Dx = DOOR DESIGNATION			W = WIDTH						
2. TEMPERED WINDOW			SLx = SKYLITE DESIGNATION			H = HEIGHT						
3. O.H. GARAGE DOOR			Mx = WINDOW DESIGNATION									

WALL LEGEND:

- 8" CONCRETE BLK. WALL W/METAL SIDING ABOVE.
- METAL SIDING ABOVE 4'-0" HIGH MASONRY SKIRT WALL.
- 8" CMU W/RAKED TIE-BEAM STRUCTURAL BEARING FRAME
- 4" or 6" FRAME WALL W/ R-II BATT INSULATION @ PERIMETER.

NOTES TO PLANS EXAMINER:

- THIS PROJECT IS A 9425.0 SQ. FT., TYPE IV, UNPROTECTED, UNSPRINKLERED, LOW HAZARD, OPEN DISPLAY OCCUPANCY, TWO UNIT, SINGLE STORY
- PROJECT IS DIVIDED INTO 2 UNITS. UNIT #1 6175 S.F. WITH 600 SF OFFICE UNIT #2 3250 SF WITH 413 SF OFFICE.
- THERE WILL BE NO HIGH PILED COMBUSTIBLE STOCK.
- THIS PROJECT IS FULLY ACCESSIBLE TO THE PHYSICALLY HANDICAPPED.

J. F. H. & Associates, Inc.
 Real Estate Professional-Engineers-Builders-Property Managers
 Phone: (239)574-7626
 Facsimile: (239)574-6271
 Cell Phone: (239)994-1676
 301 Northeast 20th Court
 Cape Coral, FL 33909

J.R. ROST ASSOCIATES, INC.
 1154 LEE BOULEVARD, SUITE #3
 LEHIGH ACRES, FLORIDA 33909
 PHONE: (239)368-5800 • FAX: (239) 368-0199

LOT 157
SOX DEVELOPMENT, INC.
 ZIP DRIVE BILLY CREEK COMMERCE CENTER
 FORT MYERS, LEE COUNTY, FLORIDA
FLOOR PLAN

Design: L.R.R. Drawn: L.R.R.
 QA/QC: J.K. FILE: LOT 157
 Scale: 1/8" = 1'-0"

Date: SEPT. 4, 2003
 APPROVED: *John F. Kilduff*
 9/1/03
 John F. Kilduff
 FLORIDA P.E. #52684
 Sheet: **A3**